
Duraslide 2000 Patio

Section Identification Guide







Contents

Profiles

Outer Frames	3
Sashes	4
Interlocks & Meeting Stile	5
Infills & Add-Ons	6
Head Extensions	7
Midrails	8
Cills	9 - 10

Two Track

Threshold	11
Threshold With Cill	12
Head	13
Head With Extension	14
Jamb	15

Three Track

Threshold	16
Threshold With Cill	17
Head	18
Head With Extension	19
Jamb	20

Interlocks

Standard	21
Reinforced	22

Meeting Stile

Standard	00
Standard	-7.4
Statitualu	20

Midrails


70mm	24
124mm	24
124mm Letter Plate	24


We reserve the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.

2 E.& O.E.


Outer Frames


GSL1010 - Two Track






GSL1012 - Three Track







Sashes


GSL020 - Top & Bottom Rail






GSL022 - Locking Stile







Interlocks & Meeting Stile

GSL310 - Interlock







GSL1330 - Reinforced Interlock





GSL040 - Meeting Stile Adapter







Infills & Add-Ons

GSL053 - PVC Interlock


GSL053N - Polyamide Interlock







GSL050 - Channel Infill

GSL051 - Channel Infill








VL72 - Weather Drip

VG52 - PVC Infill











GSL1014 - 2 Track Cover Plate

GSL1015 - 3 Track Cover Plate










^{*} Note that cover plates are used in conjunction with fixed panels only.


Head Extensions


DV515 - 42mm Extension (For Two Track)






ETC156 - 42mm Extension (For Three Track)







Two extension used.
One at the front & one at the back.

DV559 - 20mm Extension (For Two Track)










Cills


ETC451 - 85mm Cill







ETC457 - 150mm Cill










Threshold









Head







Head With Extension (Used For Trickle Vents)





Jamb







Threshold







Threshold With Cill







Head






Head With Extension (Used For Trickle Vents)






Interlocks

Standard Interlock




Interlocks

Reinforced Interlock




Meeting Stile








Midrails

70mm 124mm 124mm Letter Plate














Main Office & Factory

Units 4-5, t: 01268 681612 (15 lines)

Charfleets Road, f: 01268 510058

Canvey Island, e: sales@duration.co.uk
Essex. SS8 0PQ w: www.duration.co.uk

Grand Design Exhibition Centre

Unit 1 Casino Parade, t: 01268 695100

Eastern Esplanade,

Canvey Island, SatNav Directions
Essex. SS8 7FJ Use: SS8 7DN.