

Premium Aluminium Windows

58mm and 70mm Beaufort Blyweert Windows



Duration Windows

Units 4-5,
Charfleets Road,
Canvey Island,
Essex. SS8 0PQ

t: 01268 681612 (15 lines)
f: 01268 510058
e: sales@duration.co.uk
w: www.duration.co.uk



DURATION WINDOWS

Aluminium Manufacturers Of Distinction Since 1985

Premium Aluminium Windows

We are very pleased to be able to bring our fantastic window system to the market. Our Premium windows are exceptional aluminium windows from one of the countries leading names in aluminium window systems.

This modern and advanced window system provides you with the latest in polyamide thermal technology, making it suitable for new build as well as replacement and refurbishment projects. You can now upgrade your windows to have our Chelton® Handle and Chelton Secure™ Locking by using our own Chelton Vent.

We can supply windows that are made to measure and custom built to your exact specifications.



Upgrade to an 'A' Rating
In Energy Efficiency

Features

- Conventional colour range - White, Black, Brown and Silver.
- Available in any of over 200 single or dual RAL custom colour or textured paint finish.
- Slim polyamide thermally broken 58 and 70mm non-rusting aluminium profiles; for superior thermal efficiency.
- High performance with U-values as low as 1.3 and can be upgraded to be an 'A' rated window.
- Espag handles & modern multi-point locking. Upgrade to Chelton Secure™ locking and a Chelton® Handle.
- Can be supplied unglazed or glazed for 28mm glazing.
- Internally glazed or externally glazed options, with high security bead.
- Range of styles and designs to suit any home.
- Styles include a French / Cottage window (ideal for small openings, and meeting fire safety regulations).
- Exceeds current and October 2010 building regulations.
- For new build as well as replacement and refurbishment projects.
- Suitable for commercial and domestic applications.
- Direct fix, Equal leg or Odd leg frames, with the ability to put trickle vents in either a head extension or deep frame.

*fixed lites are externally glazed.

Contact Us For Further Information



Many Styles And Designs



As Conservatory Walling



Over 200 Different Colours



Side or Top Hung Casements



Secure Night Vent Facility

Chelton® Handle Range

With this window system you can upgrade to have Chelton® Handles and Chelton Secure™ Locking. Unique to our windows the Chelton® Handle Range (patent pending), consists of a modern slim-line handle, an art deco style handle, designed to look like traditional steel window handles and a period monkey tail handle. These handles are fitted directly into the glazing bead for clean lines and for added security. With a choice of three different designs available in a range of colours there's something for everyone.

Chelton Secure™ Locking

With this window system you can upgrade to have Chelton® Handles and Chelton Secure™ Locking. The Chelton Secure™ Locking system is multi-point, multi-side locking. Six* plus locking points, secure your windows on three sides, while high security hinges and sash jammers secure the hinge side of your windows. Chelton Secure™ Locking provides extra security and piece of mind. The locking system runs on polyamide sections making it highly resistant to corrosion.

** Please Note: Actual number of locking points will depend on the size of each opener.*

High Performance

This high performance window system exceeds the current and October 2010 building regulations, has high weather performance and is 'C' or 'B' rated as standard with U values between 1.6 and 1.5. You can choose to upgrade your windows to have an 'A' rating in energy efficiency if required. This is achieved by using the slim frame options and replacing our standard glass with even higher specification sealed units and warm edge spacer bars.

Applications

- New build as well as replacement and refurbishment projects.
- Suitable for commercial and domestic applications.

Sizing

	Side Hung	Top Hung
Minimum Height	300mm	300mm
Maximum Height	1250mm	1250mm

	Side Hung	Top Hung
Minimum Width	350mm	300mm
Maximum Width	650mm	1250mm


Maximum Sash Weight	
50Kg**	

Note:

If the sizes you require are less than the minimum or exceed our maximum recommended sizes contact our technical department.

The sizes detailed above are for guidance only. Sash sizes and operation will depend on hardware used, while sash heights & widths are dependant on style and design.**


Contact Us For Further Information



Modern Chelton® Slimline Handle



Art Deco Style Chelton® Steel Handle



Period Chelton® Monkey Tail Handle





Easy Clean Friction Hinges







Concealed Handle Fixings Under Glazing Bead For Added Security

NEW BEAUFORT VENT

1. High Security All Round Window Chelton Secure™ Locking.
2. Incorporates Chelton Handle Range. Including Anti-ligature slim-line handle.
3. Internally Glazed for added security with a square bead.
4. Slim 67mm by 64mm deep Vent.
5. Concealed handle fixings.



You Can Upgrade Our Premium Windows To 'A' Rated Windows



Duration Windows

Units 4-5,
Charfleets Road,
Canvey Island,
Essex. SS8 0PQ

t: 01268 681612 (15 lines)
f: 01268 510058
e: sales@duration.co.uk
w: www.duration.co.uk



DURATION WINDOWS

Aluminium Manufacturers Of Distinction Since 1985