

Penthouse Plus LS Patio

Threshold Options







Contents

Iwo Irack	Ċ
Two Track With Cill	4
Three Track	5
Three Track With Cill	6
Cill Options & Drainage Paths	7


We reserve the right to make changes to the product specification as technical developments dictate, and without prior notice. Pictures shown are for illustrative purposes and are not binding in detail, colour or specification.


2


E.& O.E.

Two Track

No Cill










Two Track

With Cill











Three Track

No Cill











Three Track

With Cill











Cill Options & Drainage

ETC458 - 190mm Cill For Two Track VG511




ETC478 - 300mm Cill For Three Track VG513




Drainage

When installing a patio, drainage paths for the threshold need to be taken into consideration. Please discuss drainage with the installer, homeowner and installer of external flooring. The images below depict an example of each threshold and its drainage path.


Two Track - No Cill




Two Track - With Cill



Three Track - No Cill



Three Track - With Cill



Main Office & Factory

Units 4-5, t: 01268 681612 (20 lines)

Charfleets Road, f: 01268 510058

Canvey Island, e: sales@duration.co.uk
Essex. SS8 0PQ w: www.duration.co.uk

Product Showroom

Unit 1 Casino Parade, t: 01268 695100

Eastern Esplanade,

Canvey Island, SatNav Directions
Essex. SS8 7FJ Use: SS8 7DN.