

Premium / Premium Plus Windows

Section Identification Guide



DURATION
WINDOWS



Contents



Profiles



58mm Outer Frames	3
70mm Outer Frames	4
Opening Vents	5
Beads	6
Extensions	7
Transoms, Mullion & Midrails	8
Couplers For 58mm Frames	9
Couplers For 70mm Frames	10
Bay Poles	11-12
Corner Posts	13
Cills	14

Section Drawings

'B' Rated Openers	15
'A' Rated Openers	16
Fixed Windows	17
Transoms & Mullion Details	18
Coupling 58mm Frames	19
Coupling 70mm Frames	20
WER Chart	21



Outer Frames

AW604 - 58mm Slim Equal Leg





Needed For An 'A' Rated Window
See Pages 18 - 19

AW605 - 58mm Equal Leg





AW603 - 58mm Odd Leg



Needed For An 'A' Rated Window
See Pages 18 - 19



Outer Frames

AW622 - 70mm Square Equal Leg





Deep Outer Frames

AW623 - 70mm Deep Square Equal Leg




AW608 - 58mm Deep Equal Leg




Opening Vents


AW685 - Internally Glazed Flat Sash




AW686 - Internally Glazed Stepped Sash



AW614 - Internally Glazed Chamfered Sash




AW690 - Externally Glazed Feature Sash



Opening Vents & Beads


Flat Bead (AW663)

For:
AW614
AW686




Square Bead (AW683)

For:
AW685




Chamfered Bead (AW682)

For:
AW690




Chamfered Bead (AW513)

For:
Fixed





Square Bead (AW660)

For:
Fixed





Extensions



AW725 - 20mm Extension For 58mm Frames



AW724 - 20mm Extension For 70mm Frames





AW728 - 40mm Extension For 70mm Frames





Mullions & Transoms


AW631 - 57mm Transom / Mullion



AW633 - 68mm Transom / Mullion





AW635 - 110mm Midrail





Couplers



AW703 - 15mm Coupler For 58mm Frame



AW706 - 26mm Coupler For 58mm Frame




AW710 - Hidden Coupler For 58mm Frame




Couplers


AW702 - 15mm Coupler For 70mm Frame



AW705 - 26mm Coupler For 70mm Frame





AW709 - Hidden Coupler For 70mm Frame





Bay Poles



AW715 - 100 to 120° Bay Pole



AW716 - 120 to 140° Bay Pole





AW717 - 140 to 160° Bay Pole




Bay Poles



AW718 - 160 to 180° Bay Pole



AW712 - 60mm Circular Bay Pole





AW722 - 70mm Circular Bay Pole





Corner Posts

AW721 - 90 Degree Post For 58mm Frame





AW720 - 90 Degree Post For 70mm Frame





Cills



AW570 - 96mm Projection Cill



AW542 - 150mm Projection Cill







AW544 - 190mm Projection Cill







'B' Rated Opening Windows

Opening Vents With AW605 Outer Frame







Opening Vents With AW622 Outer Frame







'A' Rated Opening Windows

Opening Vents With AW603 Outer Frame



Glass Spec On Page 19


Opening Vents With AW604 Outer Frame




Glass Spec On Page 19

Fixed Frames

Fixed Lite 58mm Frames




Fixed Lite 70mm Frames



Transom & Mullion Details


Fixed / Fixed - Chamfered

AW513




Fixed / Fixed - Square

AW660




Fixed With An Opener


AW685




AW686



AW690




AW614




Opener With An Opener


AW685




AW686



AW690




AW614




Coupling


Coupling 58mm Outer Frames - AW706



Coupling 58mm Outer Frames - AW703




Coupling 58mm Outer Frames - AW710



These are just some of the coupling combinations. Please ask for more details.

Coupling

Coupling 70mm Outer Frames - AW709



These are just some of the coupling combinations. Please ask for more details.

Window Energy Rating

WER's Chart

WER's based on using 90% Argon Gas, 4mm Diamant, 4mm Planitherm Total +
*AW675 can e A rated using Triple Glazed Units

		Opening Vent			
		AW614	AW685	AW686	AW690
Frame					
					
					
					

Duration Windows
Thames Development
Charfleets Road
Canvey Island
Essex. SS8 0PQ

sales@duration.co.uk
www.duration.co.uk

Head Office 01268 681612
Showroom 01268 695100